SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Amended to include Specific Information Per SDS Notice 2017

Revision Date 19 May 2024 **Version** 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code 100354, 100361

Product Name EVERCOAT BLUE CREAM HARDENER

Unique Formula Identifier (UFI) Code 8XR2-G0QW-5004-YGE8

Contains Dibenzoyl Peroxide

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Curing chemical. For professional use only.

Uses advised against Uses other than recommended use.

1.3. Details of the supplier of the safety data sheet

Importer	Manufacturer	May Also be Imported & Distributed By:
INDASA PT	ITW Evercoat Hindin Marquip	Hindin Marquip Ltd
P.O. Box 3005	6600 Cornell Road	1012 Great South Road
3801-101 Aveiro, Portugal	Cincinnati, Ohio 45242	Penrose 1061, Auckland, New Zealand.
Telephone: +(351) 234 303 600	Telephone: 513-489-7600	Telephone : +64 (0) 9 913 1666

For further information, please contact

E-mail address: Info@evercoat.com

Non-Emergency Telephone Number +1 (513) 489-7600 or (800) 729-7600

1.4. Emergency telephone number

NZ POISONS: 0800 POISON 0800 764 766

24-hour emergency phone number - CHEMTREC: 1-800-424-9300 INTERNATIONAL: 1-703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitization	Category 1 - (H317)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)
Organic peroxides	Type E - (H242)

2.2. Label elements

Contains Dibenzoyl Peroxide

Signal word
Warning

Hazard statements

Hazard statements	H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H410 - Very toxic to aquatic life with long lasting effects H242 - Heating may cause a fire
Precautionary Statements - EU (§28, 1272/2008)	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P234 - Keep only in original packaging P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P370 + P378 - In case of fire: Use water spray to extinguish P391 - Collect spillage P403 - Store in a well-ventilated place

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration No.	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Dibenzoyl Peroxide 94-36-0	45-52	01-2119511472-50-XXXX	202-327-6	Org. Perox. B (H241) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	-	-
Ethanediol 107-21-1	5 - 10		203-473-3	Acute Tox. 4 (H302)	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

No information available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Dibenzoyl Peroxide 94-36-0	7710	No data available	No data available	No data available	No data available
Ethanediol 107-21-1	4700	10600	3.75	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Product is or contains a sensitizer. May cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment and turnout **precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. In case of insufficient ventila respiratory equipment. Take off contaminated clothing and wash before reuse. Har with good industrial hygiene and safety practice. Avoid contact with skin, eyes or cl drink or smoke when

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitab eye/face protection. Do not eat, drink or smoke when

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Identified uses
Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	NZ WES	European Union	Austria	Belgium	Bulgaria	Croatia
Dibenzoyl Peroxide 94-36-0	TWA: 5 mg/m^3	-	TWA: 5 mg/m^3 STEL 10 mg/m^3	-	-	TWA: 5 mg/m^3

Ethanediol 107-21-1	CEILING 50 PPM 127 mg/m^3	TWA 20 ppm TWA 52 mg/m^3 STEL 40 ppm STEL 104 mg/m^3 *	TWA: 10 ppm TWA: 26 mg/m^3 STEL 20 ppm STEL 52 mg/m^3 H*	-	STEL: 40 ppm STEL: 104 mg/m^3 TWA: 52 mg/m^3 TWA: 20 ppm K*	TWA: 20 ppm TWA: 52 mg/m^3 STEL: 40 ppm STEL: 104 mg/m^3 K*
Chemical name	XXX	Cyprus	Czech Republic	Denmark	Estonia	Finland
Dibenzoyl Peroxide 94-36-0	XXX	-	-	TWA: 5 mg/m^3	TWA: 5 mg/m^3	TWA: 5 mg/m^3 STEL: 10 mg/m^3
Ethanediol 107-21-1	XXX	-	-	TWA: 10 ppm TWA: 26 mg/m^3 TWA: 10 mg/m^3 H*	TWA: 20 ppm TWA: 52 mg/m^3 STEL: 40 ppm STEL: 104 mg/m^3 A*	TWA: 20 ppm TWA: 50 mg/m^3 STEL: 40 ppm STEL: 100 mg/m^3 iho*
Chemical name	XXX	France	Germany	Germany MAK	Greece	Hungary
Dibenzoyl Peroxide 94-36-0	XXX	TWA: 5 mg/m^3	TWA: 5 mg/m^3	TWA: 5 mg/m^3 Ceiling / Peak: 5 mg/m^3	-	TWA: 5 mg/m^3 STEL: 5 mg/m^3 b*
Ethanediol 107-21-1	XXX	TWA: 20 ppm TWA: 52 mg/m^3 STEL: 40 ppm STEL: 104 mg/m^3 *	TWA: 10 ppm TWA: 26 mg/m^3 H*	TWA: 10 ppm TWA: 26 mg/m^3 Ceiling / Peak: 20 ppm Ceiling / Peak: 52 mg/m^3 Skin	-	TWA: 52 mg/m^3 STEL: 104 mg/m^3 b*
Chemical name	XXX	Ireland	Italy	Italy REL	Latvia	Lithuania
Dibenzoyl Peroxide 94-36-0	XXX	TWA: 5 mg/m^3 STEL: 15 mg/m^3	-	-	-	-
Ethanediol 107-21-1	XXX	TWA: 10 mg/m^3 TWA: 20 ppm TWA: 52 mg/m^3 STEL: 40 ppm STEL: 30 mg/m^3 STEL: 104 mg/m^3 Sk*	TWA: 20 ppm TWA: 52 mg/m^3 STEL: 40 ppm STEL: 104 mg/m^3 pelle*	-	TWA: 20 ppm TWA: 52 mg/m^3 STEL: 40 ppm STEL: 104 mg/m^3 *	-
Chemical name	XXX	Luxembourg	Malta	Netherlands	Norway	Poland
Dibenzoyl Peroxide 94-36-0	XXX	-	-	-	TWA: 5 mg/m^3 STEL: 10 mg/m^3	STEL: 10 mg/m^3 TWA: 5 mg/m^3
Ethanediol 107-21-1	XXX	-	-	TWA: 52 mg/m^3 TWA: 10 mg/m^3 STEL: 104 mg/m^3 H*	TWA: 20 ppm TWA: 52 mg/m^3 STEL: 104 mg/m^3 STEL: 40 ppm H*	STEL: 50 mg/m^3 TWA: 15 mg/m^3

Chemical name	XXX	Portugal	Romania	Slovakia	Slovenia	Spain
Dibenzoyl Peroxide 94-36-0	XXX	TWA: 5 mg/m^3	-	TWA: 5 mg/m^3	TWA: 5 mg/m^3 5: STEL mg/m^3	TWA: 5 mg/m^3
Ethanediol 107-21-1		TWA: 20 ppm TWA: 52 mg/m^3 STEL: 40 ppm STEL: 104 mg/m^3 Ceiling: 100 mg/m^3 P*	TWA: 20 ppm TWA: 52 mg/m^3 STEL: 40 ppm STEL: 104 mg/m^3 P*	TWA: 20 ppm TWA: 52 mg/m^3 K*	TWA: 20 ppm TWA: 52 mg/m^3 40: STEL ppm 104: STEL mg/m^3 K*	TWA: 20 ppm TWA: 52 mg/m^3 STEL: 40 ppm STEL: 104 mg/m^3 vía dérmica*

Chemical name	XXX	Sweden	Switzerland	United Kingdom
Dibenzoyl Peroxide 94-36-0	XXX	-	TWA: 5 mg/m^3 STEL: 5 mg/m^3	TWA: 5 mg/m^3 STEL: 15 mg/m^3
Ethanediol 107-21-1	XXX	-	TWA: 10 ppm TWA: 26 mg/m^3 STEL: 20 ppm STEL: 52 mg/m^3 H*	TWA: 10 mg/m^3 TWA: 20 ppm TWA: 52 mg/m^3 STEL: 40 ppm STEL: 104 mg/m^3 STEL: 30 mg/m^3 Sk*

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) No information available. **Predicted No Effect Concentration (PNEC)** No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
	Wear protective Neoprene™ gloves Wear protective nitrile rubber gloves	> 0.14 mm	

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Blue
Color	No information available
Odor	Ester
Odor threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point	0 °C	None known
Boiling point / boiling range	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Flash point	76.1 °C	SDAT- 50 °C
Autoignition temperature	No data available	None known
Decomposition temperature		
pH	4-5 @ 20 °C	None known
pH (as aqueous solution)	No data available	None known

Kinematic viscosity	No Data Available
Dynamic viscosity	No data available
Water solubility	Insoluble
Solubility(ies)	No Data Available
Partition coefficient	No Data Available
Vapor pressure	No Data Available
Relative density	No data available
Bulk density	No data available
Density	1.16-1.24 g/cm³ (25 °C)
Vapor density	No data available
Particle characteristics	
Particle Size	No information available
Particle Size Distribution	No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data
Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Excessive heat.

10.5. Incompatible materials

Incompatible materials Strong oxidizing agents, strong acids, and strong bases, Heavy metals.

10.6. Hazardous decomposition products

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating and toxic gases and vapors. May emit toxic fumes under fire conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure
Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.

Skin contact May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document
ATEmix (oral) 2,449.40 mg/kg
ATEmix (dermal) 10,600.00 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Dibenzoyl Peroxide	= > 2,000 mg/kg	No data available.	= > 24.3 mg/l
Ethanediol	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity Contains 53 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Dibenzoyl Peroxide	-	0.0602: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	-	-

Ethanediol	6500 - 13000: 96 h Pseudokirchneriella subcapitata mg/L EC50	14 - 18: 96 h Oncorhynchus mykiss mL/L LC50 static 40000 - 60000: 96 h Pimephales promelas mg/L LC50 static 16000: 96 h Poecilia reticulata mg/L LC50 static 27540: 96 h Lepomis macrochirus mg/L LC50 static 40761: 96 h Oncorhynchus mykiss mg/L LC50 static 41000: 96 h Oncorhynchus mykiss mg/L LC50	-	46300: 48 h Daphnia magna mg/L EC50

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Dibenzoyl Peroxide	log Pow: 3.2 (20 °C)
Ethanediol	-1.93

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

Note: This information is not intended to convey all specific regulatory information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

IATA

14.1 UN number or ID number	UN3108
14.2 Proper shipping name	ORGANIC PEROXIDE TYPE E, SOLID (DIBENZOYL PEROXIDE)
14.3 Transport hazard class(es)	5.2
14.4 Packing group	Not regulated
14.5 Environmental hazard	Yes
14.6 Special precautions for user	

IMDG

14.1 UN number or ID number	UN3108
14.2 Proper shipping name	ORGANIC PEROXIDE TYPE E, SOLID (DIBENZOYL PEROXIDE)
14.3 Transport hazard class(es)	5.2
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Yes
14.6 Special precautions for user	
EmS-No	F-J, S-R
14.7 Maritime transport in bulk according to IMO instruments	

RID

14.1 UN/ID No	UN3108
14.2 Proper shipping name	ORGANIC PEROXIDE TYPE E, SOLID (DIBENZOYL PEROXIDE)
14.3 Transport hazard class(es)	5.2
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Yes
14.6 Special precautions for user	
Special Provisions	No information available.
Classification code	P1

ADR

14.1 UN number or ID number	UN3108
14.2 Proper shipping name	ORGANIC PEROXIDE TYPE E, SOLID (DIBENZOYL PEROXIDE)
14.3 Transport hazard class(es)	5.2
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Yes
14.6 Special precautions for user	
Classification code	P1
Tunnel restriction code	(D)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Ethanediol 107-21-1	RG 84

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1
P6b - SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

New Zealand Regulations: Organic Peroxides Group Standard 2020 HSR002629

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H241 - Heating may cause a fire or explosion
H302 - Harmful if swallowed
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Legend SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision Date 19 May 2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer
Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

Haztec 2018 Ltd has amended the supplied SDS only to include NZ Specific Contact Information, Workplace Exposure Standard Values and Group Standard Assigned to (Revision Date amended) and takes no responsibility for any other data in this SDS.

End of Safety Data Sheet